






























MICROPHONE











PRODUCT CODE	PRODUCT NAME	SKU	PHOTO	HIGHLIGHTS	MSRP (EUR)	
2.4GHz Wireless Microphone System						
ck020	Vocal X V1 3.5mm Output, 1RX 1TX, 2.4GHz Wireless Mic System	Vocal X V1		3.5mm Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for camera & mobile, mixers and etc•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	109
ck021	Vocal X V2 3.5mm Output, 2:1 2TX 1RX, 2.4GHz Wireless Mic System	Vocal X V2		3.5mm Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for camera & mobile, mixers and etc•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	135
ck032	ck032	Vocal X V1W		3.5mm Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for camera & mobile, mixers and etc•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	109
ck022	Vocal X V2W 3.5mm Output, White, 2:1 2TX 1RX, 2.4GHz Wireless Mic Sy	Vocal X V2W		3.5mm Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for camera & mobile, mixers and etc•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	135
ck023	Vocal X V3 Type-C Output, 1RX 1TX, 2.4GHz Wireless Mic System	Vocal X V3		Type-C Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for Type-C devices•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	99
ck024	Vocal X V4 Type-C Output, 2:1 2RX 1TX, 2.4GHz Wireless Mic System	Vocal X V4		Type-C Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for Type-C devices•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	135
ck025	Vocal X V5 Apple Lightning Output, 1TX 1RX, 2.4GHz Wireless Mic System	Vocal X V5		Apple Lightning Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none">•Dual-channel receiver for Lightning devices•Colour OLED display on both transmitter and receiver•Up to 150M stable working distance(without obstacles)•Mono & Stereo output selectable cut filter (40Mhz,80Mhz & 120Mhz) switchableTreble recording model switchable•3.5mm headphone monitorMic Input & Line Input compatible in Mic & External Mic selectablehours battery life with Type-C charging port•Includes: Type-C charging cable, Built-in Mic furry windscreen•Dimension:	<ul style="list-style-type: none">•Low•Bass &•Both•Built-•12	119










ck026	Vocal X V6 Apple Lightning Output, 2:1 2 TX 1RX, 2.4GHz Wireless Mic System	Vocal X V6		Apple Lightning Output 2.4GHz Dual-Channel Wireless Microphone <ul style="list-style-type: none"> •Dual-channel receiver for Lightning devices •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable •cut filter (40Mhz,80Mhz & 120Mhz) switchable •3.5mm headphone monitor •Mic Input & Line Input compatible in Mic & External Mic selectable hours battery life with Type-C charging port •Includes: Type-C charging cable, Built-in Mic furry windscreen 	<ul style="list-style-type: none"> •Low •Bass & •Both •Built- •12 	159
ck027	Vocal X RX 3.5mm Output Receiver for 2.4GHz Wireless Mic System	Vocal X RX		3.5mm Output Receiver <ul style="list-style-type: none"> 3.5mm Receiver •Includes: Type-C charging cable, TRS & TRRS output cable •Dimension: 56x38x17mm; Weight: 30g 	•1x	82
ck028	Vocal X RCX Type-C Output Receiver for 2.4GHz Wireless Mic System	Vocal X RCX		Type-C Output Receiver <ul style="list-style-type: none"> •1x Type-C Receiver 		75
ck029	Vocal X RLX Apple Lightning Output Receiver for 2.4GHz Wireless Mic System	Vocal X RLX		Apple Lightning Output Receiver <ul style="list-style-type: none"> •1x Lightning Receiver 		90
ck030	Vocal X TX Transmitter for 2.4GHz Wireless Mic System	Vocal X TX		Transmitter <ul style="list-style-type: none"> Transmitter •Includes: Type-C charging cable, Built-in Mic furry windscreen 	•1x	67
ck031	Vocal X TXW Transmitter White for 2.4GHz Wireless Mic System	Vocal X TXW		Transmitter <ul style="list-style-type: none"> Transmitter •Includes: Type-C charging cable, Built-in Mic furry windscreen 	•1x	67














UHF Wireless Microphone System (Professional)






















ck001	Vocal M V1 1 TX 1 RX, UHF Wireless Mic System	Vocal M V1		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> channel receiver for camera, mobile, computer & mixer and etc •Colour OLED display on both transmitter and receiver •Detachable and 360°switchable antenna Range: 150M (Line of Sight) •Mono & Stereo output selectable •Mic Input & Line Input switchable •Real-time headphone monitor on receiver •Real-time & Play-back headphone monitor on transmitter •Support up to 32GB MicroSD card for memory recording •Low cut filter (40Mhz,80Mhz & 120Mhz) frequency boost(1dB/2dB/3dB/4dB) •Mute & Lock function on both transmitter & receiver •Built-in rechargeable battery with 12 hours life •Durable aluminum alloy construction •Includes: Lavalier Mic, Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable 	<ul style="list-style-type: none"> •Dual- •Operating •High 	279
ck002	Vocal M V2 2:1 2TX 1RX, UHF Wireless Mic System	Vocal M V2		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> channel receiver for camera, mobile, computer & mixer and etc •Colour OLED display on both transmitter and receiver •Detachable and 360°switchable antenna Range: 150M (Line of Sight) •Mono & Stereo output selectable •Mic Input & Line Input switchable •Real-time headphone monitor on receiver •Real-time & Play-back headphone monitor on transmitter •Support up to 32GB MicroSD card for memory recording •Low cut filter (40Mhz,80Mhz & 120Mhz) frequency boost(1dB/2dB/3dB/4dB) •Mute & Lock function on both transmitter & receiver •Built-in rechargeable battery with 12 hours life •Durable aluminum alloy construction •Includes: Lavalier Mic, Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable 	<ul style="list-style-type: none"> •Dual- •Operating •High 	399
ck003	Vocal M V3 1TX (plug-on XLR) 1RX, UHF Wireless Mic System	Vocal M V3		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> channel receiver for camera, mobile, computer & mixer and etc •Colour OLED display on both transmitter and receiver •Detachable and 360°switchable antenna Range: 150M (Line of Sight) •Mono & Stereo output selectable •+48V phantom power •Real-time headphone monitor on receiver •Real-time & Play-back headphone monitor on transmitter •Support up to 32GB MicroSD card for memory recording •Low cut filter (40Mhz,80Mhz & 120Mhz) frequency boost(1dB/2dB/3dB/4dB) •Mute & Lock function on both transmitter & receiver •Built-in rechargeable battery with 12 hours life •Durable aluminum alloy construction •Includes: Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable & Lavalier Mic 	<ul style="list-style-type: none"> •Dual- •Operating •High 	279

















ck004	Vocal M V4 2:1 2TX (plug-on XLR) 1RX, UHF Wireless Mic System	Vocal M V4		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> •Dual-channel receiver for camera, mobile, computer & mixer and etc •Colour OLED display on both transmitter and receiver •Detachable and 360°switchable antenna •Operating Range: 150M (Line of Sight) •Mono & Stereo output selectable •+48V phantom power on plug-on transmitter •Mic Input & Line Input switchable on 3.5mm connector transmitter •Real-time headphone monitor on receiver •Real-time & Play-back headphone monitor on transmitter •Support up to 32GB MicroSD card for memory recording •Low cut filter (40Mhz,80Mhz & 120Mhz) •High frequency boost(1dB/2dB/3dB/4dB) •Mute & Lock function on both transmitter & receiver •Built-in rechargeable battery with 12 hours life •Durable aluminum alloy construction •Includes: Lavalier Mic, Type-C charging cable, TRS & TRS output cable, TRS to dual-head 	399
ck005	Vocal M RX Receiver for UHF Wireless Mic System	Vocal M RX		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> •Dual-channel wireless portable receiver •Includes:; Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable •Dimension: 56x80x22mm; Weight: 135g 	149
ck006	Vocal M TX Transmitter for UHF Wireless Mic System	Vocal M TX		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> •Body-pack transmitter •Includes:; Type-C charging cable & lavalier microphone •Dimension: 56x80x22mm; Weight: 125g 	149
ck007	Vocal M TLX Plug-on XLR Transmitter for UHF Wireless Mic System	Vocal M TLX		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder <ul style="list-style-type: none"> •Plug-on XLR Transmitter •Includes:; Type-C charging cable •Dimension: 45.5x44x112mm; Weight: 125g 	149
Headset & Lavalier Microphone for Wireless System					
ck050	W-LM1 Gold-Plated TRS Clip-on Lav Mic for Wireless System	W-LM1		Clip-on Omnidirectional Lavalier Microphone for Wireless System <ul style="list-style-type: none"> •Omni Polar Pattern for 360° Pickup •Gold-Plated 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: Black 	60
ck051	W-LM1W Gold-Plated TRS White Clip-on Lav Mic for Wireless System	W-LM1W		Clip-on Omnidirectional Lavalier Microphone for Wireless System <ul style="list-style-type: none"> •Omni Polar Pattern for 360° Pickup •Gold-Plated 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: White 	60
ck052	W-LM2 Gold-Plated Locking TRS Clip-on Lav Mic for Wireless System	W-LM2		Clip-on Omnidirectional Lavalier Microphone for Wireless System <ul style="list-style-type: none"> •Omni Polar Pattern for 360° Pickup •Gold-Plated Locking 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: Black 	60
ck053	W-LM2W Gold-Plated Locking White TRS Clip-on Lav Mic for Wireless System	W-LM2W		Clip-on Omnidirectional Lavalier Microphone for Wireless System <ul style="list-style-type: none"> •Omni Polar Pattern for 360° Pickup •Gold-Plated Locking 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: White 	60
ck054	LPM1 3.5mm TRS connector with Lock	LPM1		<ul style="list-style-type: none"> •3.5mm TRS connector with Lock •Professional omnidirectional condenser microphone •Compatible with brands : CKMOVA, RODE, Sennheiser, TASCAM, ZOOM, Saramonic, BOYA •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, 	55
ck055	LPM2 3.5mm TRS connector	LPM2		<ul style="list-style-type: none"> •3.5mm TRS Connector •Professional omnidirectional condenser microphone •Compatible with brands : CKMOVA, RODE, Sennheiser, TASCAM, ZOOM, Saramonic, BOYA •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, 	55
ck056	LPM3 3-PIN Mini XLR	LPM3		<ul style="list-style-type: none"> •3-PIN Mini XLR omnidirectional condenser microphone •Professional Compatible with brands : AKG, Samson •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, and Any Other Applications Requiring Minimum Microphone Visibility with 	55
ck057	LPM4 4-PIN Mini XLR	LPM4		<ul style="list-style-type: none"> •4-PIN Mini XLR omnidirectional condenser microphone •Professional Compatible with brands : SHURE, TOA, Line 6 •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, and Any Other Applications Requiring Minimum Microphone Visibility with 	55
ck058	LPM5 4-PIN Mini XLR	LPM5		<ul style="list-style-type: none"> •4-PIN XLR omnidirectional condenser microphone •Professional Compatible with brands : Audio-technica •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, and Any Other Applications Requiring Minimum Microphone Visibility with Maximum Comfortability 	60

ck059	AC-VM1 TRRS Clip-on Lav Mic	AC-VM1		Clip-on Omnidirectional Lavalier Microphone <ul style="list-style-type: none"> • Work for 3.5mm TRRS connector devices • Cable length 1.5m • Colour: Black 	52
ck060	AC-VM1W TRRS White Clip-on Lav Mic	AC-VM1W		Clip-on Omnidirectional Lavalier Microphone <ul style="list-style-type: none"> • Work for 3.5mm TRRS connector devices • Cable length 1.5m • Colour: White 	52
Shotgun Microphone					
ck070	DCM2 Shotgun Condenser Mic	DCM2		Supercardioid Condenser Shotgun Microphone <ul style="list-style-type: none"> • Super-Cardioid pickup pattern condenser microphone • 150 Hz High Pass Filter filter to effectively reduce the pick up of low-frequency ambient noise • 48V Phantom Power or AA Battery Supply Power • Alloy-aluminum body construction • Plated XLR Connector • Dimensions: φ: 22.3 x L: 360 mm • Includes Foam windscreen, XLR cable and two shock mount 	113
Microphone Boom Pole					
ck071	BP30A Boom Pole	BP30A		Aluminum Telescoping Boompole with Internal XLR Cable <ul style="list-style-type: none"> • Durable utilizing black anodized lightweight aluminum construction • Internal coiled XLR cable and connection at the base • Smooth 5-section telescoping boompole • Adjustable from 0.86m to 3m • 3/8" thread mates with most shockmounts and stands • Easy-twist locks make it possible to quickly shorten or lengthen the boompole • Includes 3/8" to 5/8" thread adapter & pouch 	159
On-Camera Shotgun Microphone					
ck072	VCM1 On-Camera Condenser Shotgun Mic	VCM1		Condenser Video Microphone for DSLR & Smartphone <ul style="list-style-type: none"> • Video microphone for DSLR or mirrorless or video camera. • Integrated shoe mount • Lightweight construction • No battery required • Includes TRS & TRRS two cables, foam windscreen and furry windscreen 	55
ck073	VCM5 On-Camera Condenser Shotgun Mic	VCM5		Condenser Video Microphone for DSLR & Smartphone <ul style="list-style-type: none"> • Output to both DSLR camera and smartphone • High-quality directional condenser microphone • Plug and play with 3.5mm TRRS connector • 3.5mm headphone monitor jack • Rugged aluminum alloy construction • Without battery required • Includes 3.5mm TRS & TRRS cable, foam & furry windscreen in one 	67
Vlogging Bundle Kit					
ck080	GT1 Selfie Tripod	GT1		Mini Multi-function Selfie Tripod <ul style="list-style-type: none"> • Innovative tailored for smartphone shooting & Video & Live • Unique 2 in 1 phone holder compatible for Mobile, DSLR • Phone holder with hot shoe design for different accessoires • Weight 280g , with folded size 25cm. • Extension Max High:90cm • Weight Capacity: 2kg • Aluminum + ABS construction • Includes Carrying Holder, Tripod 	52
ck081	MST3 Vlogger Kit with Mic, Light, Tripod	MST3		Universal Vlogger Kit with VideoMic, Led Light & Extensible Tripod for Journalists, Vloggers, Youtubers, and Movie Makers. <ul style="list-style-type: none"> • compatible with DSLR, Smartphone and etc. • VCM5 microphone pickup to reduce background noise • FL20 LED light with 9 band warm & cold brightness switchable • GT1 Tripod with Unique 2 in 1 phone holder compatible for Mobile, DSLR • Includes Microphone, tripod, Led light and furry windscreen, micro charging cable. 	90
Studio Dynamic Microphone System					
ck090	DVM10 Dynamic Vocal Mic	DVM10		Handheld Dynamic Vocal Microphone <ul style="list-style-type: none"> • High-quality Dynamic Cardioid Microphone • Frequency response tailored for vocals, with brightened midrange and bass roll-off • With high resistance to feedback, enhanced rejection of ambient sound, and low handling noise • On & Off Switch function • Wind and pop filter • Durable aluminum alloy body construction • Includes 6.35m to XLR audio cable & Shock mount and Zipper Pouch 	90
Studio Condenser Microphone					
ck091	SUM3 Studio Condenser USB Mic	SUM3		Studio Quality USB Microphone <ul style="list-style-type: none"> • High-quality cardioid condenser perfect for podcasting & game streaming • Smooth frequency response provides natural sound in wide applications • Microphone gain control • Headphone volume control • Mute Function • 3.5mm headphone output with zero-latency monitoring • Compatible with Type-C and Type-A Windows & Mac computers and Type-C Smartphone devices • Durable all metal construction • Work with 3/8" & 5/8" thread hole boom arm • Includes Type-C to Type-C & Type-C to Type-A audio output cables 	82
ck092	SXM-3 Studio Condenser XLR Mic	SXM-3		Studio XLR Large Diaphragm Condenser Microphone <ul style="list-style-type: none"> • Large diaphragm for smooth, natural sound and low noise • Cardioid polar pattern reduces pickup of sounds from the sides and rear • Custom shock mount provides superior isolation • Standard 3-pin XLR Connector • Rugged all-metal body and robust design withstands tough use • Versatile for streaming and podcasting applications • Includes microphone, shock mount and 3-pin XLR cable 	97








ck093	SXM5 Studio Condenser USB Mic	SXM5		Studio USB Large Diaphragm Condenser Microphone <ul style="list-style-type: none"> •Large diaphragm for smooth, natural sound and low noise for streaming & podcasting applications •Microphone gain control •Headphone volume control •Mute Function •3.5mm headphone output with zero-latency monitoring •Compatible with Type-C and Type-A Windows & Mac computers and Type-C Smartphone devices •Durable all metal construction •Work with 3/8" & 5/8" thread hole boom arm •Includes Type-C to Type-C & Type-C to Type-A audio output cables 	90
ck094	SPS-1 Mic Pop Filter	SPS-1		Dual Layered Professional Microphone Pop Filter <ul style="list-style-type: none"> •Double layered pop filters make the blast easily contained to produce great quality recordings •Steel metal holder fully support the filter's weight to remain stability •Adjustable gooseneck handily adjust the angle and distance between the filter and the microphone to best fit your needs •Multi-scene application for singing, voiceover, podcasts, vlogging and anywhere else you need quality sound. •Banish the dreaded hissing and lispng sounds that come when pronouncing •Swivel mount for easy installation 	45
ck095	SRF5 Mic Sound Shield Reflection Filter	SRF5		Professional Sound Shield Reflection Filter <ul style="list-style-type: none"> •Compact microphone isolation solution for absorbing unwanted room noise& reflections •High-density open-cell acoustic-foam layer •5-Panel perforated ABS screen •Adjust side panels for varied isolation •Work can be set on Desktop or table •Lightweight and easy to assemble •Work can be used for home studio, rehearsal studio and etc •Size: 70 x 4 x 28 cm 	75
ck096	SAS-1 Adjustable Desktop Boom Arm Stand	SAS-1		Adjustable Desktop Boom Arm Stand <ul style="list-style-type: none"> •Built-in 5/8" screw makes the stand compatible with all kinds of microphones •Durable Dual suspension springs on each boom arm protects microphone from suddenly dropping •Adjustable & folding arm and swivel table mount make you easily adjust the mic to the best position •Multiple protection clamp with high strength rubber mat to protect your furniture •Folding arm in portable size which easily to carry •Ideal for radio broadcasting studio, voice-over sound studio and so on 	48
ck097	SAS-2 Adjustable Desktop Boom Arm Stand	SAS-2		Professional Adjustable Desktop Boom Arm Stand <ul style="list-style-type: none"> •Sturdy high quality steel and electrostatic powder spraying tech •Boom arm offers 3/8" and 5/8" mic clip threading for easy microphone integration •Can be easily attached to a desk or tabletop with sturdy C-clamp mount or fixed permanently to a surface with flange mount •Supports microphones up to 2.2kg •Foldable arm band for simple transportation and storage •Includes boom arm, magic cable tie and 5/8-inch screw 	67
ck098	SAS-3 Adjustable Desktop Boom Arm Stand	SAS-3		Premium Adjustable Desktop Boom Arm Stand <ul style="list-style-type: none"> •Stylish and sturdy premium desktop boom arm that can be articulated to the perfect position •Adapts to most microphone stands using 3/8" and 5/8" mounting threads •Hand-tightened friction hinges for smooth, quiet operation •Supports microphones up to 2.0kg •Central axis can be rotated 180 degrees for storage and transportation •Includes boom arm, magic cable tie and 5/8-inch screw & shock mount 	67
Conference Microphone System					
ck100	GMC10 Conference Gooseneck Condenser Mic with XLR Output	GMC10		Desk-Top Mounted Supercardioid Gooseneck Microphone <ul style="list-style-type: none"> •High quality supercardioid condenser gooseneck microphone(3-pin XLR output) •Designed for podium and desktop use in speech, presentations and conferences •Wide dynamic range and frequency response for accurate sound reproduction across the audio spectrum •MUTE mode switch •Flexible dual -section gooseneck enables ease of use and positioning •Built-in LED indicator shows Talk/Mute status at any time •Powered by +48V phantom power •Foam windscreen included 	113
ck101	CUM2 Conference USB Mic	CUM2		Conferene USB Microphone <ul style="list-style-type: none"> •Compatible with Mac & Windows with USB-C and USB-A and Android smartphone with USB-C & Apple Lightning connector devices •360°omnidirectional audio pick up •Clear audio & noise reduction technology providing crystal clear sound to you •3.5mm Headphone monitor jack(Real-time monitor & playback listen) •Quickly mute or play function •No drivers or battery needed •Working with in a 5m radius range •Durable aluminum construction •Includes USB-C to USB-C, USB-C to USB-A output cable 	75
Plug & Play Microphone for Smartphone					
ck110	SPM3 Plug & Play Condenser Mic with 3.5mm output	SPM3		Flexible Compact Condenser Microphone for 3.5mm Smartphone & DSLRs <ul style="list-style-type: none"> •Professional directional condenser microphone •Plug & Play working •Flexible rotation 180 degrees design •Camera & Phone function switch •Gain switch with 2 levels(-10dB, 0dB) •No battery needed •Includes furry windscreen 	55












ck111	SPM3C Plug & Play Condenser Mic with Type-C output	SPM3C		Flexible Compact Condenser Microphone for Type-C Devices •Professional directional condenser microphone •Plug & Play working •Flexible rotation 180 degrees design •Low-cut filter(120Hz) •Gain switch with 2 levels(-10dB, 0dB) •No battery needed •Includes furry windscreen	61
ck112	SPM3L Plug & Play Condenser Mic with Apple Lightning output	SPM3L		Flexible Compact Condenser Microphone for Apple Lightning Devices •Professional directional condenser microphone •Plug & Play working •Flexible rotation 180 degrees design •Low-cut filter(120Hz) •Gain switch with 2 levels(-10dB, 0dB) •No battery needed •Includes furry windscreen	73
Computer USB Lavalier Microphone					
ck120	LUM2 Computer USB Lav Condenser Mic with 2m cable	LUM2		For Windows and Mac computers with USB-A port •Omnidirectional condenser microphone •With built-in noise cancellation professional audio decoder chip •Durable metal construction USB connector •2m cable length	49
ck121	LUM4 Computer USB Lav Condenser Mic with 4m cable	LUM4		For Windows and Mac computers with USB-A port •Omnidirectional condenser microphone •With built-in noise cancellation professional audio decoder chip •Durable metal construction USB connector •4m cable length	55
ck122	LUM6 Computer USB Condenser Lav Mic with 6m cable	LUM6		For Windows and Mac computers with USB-A port •Omnidirectional condenser microphone •With built-in noise cancellation professional audio decoder chip •Durable metal construction USB connector •6m cable length	60
Lavalier microphone					
ck130	LCM3 Lav Condenser Mic with 3.5mm Output , LR44 battery (included) ,	LCM3		Omnidirectional condenser microphone •Clip-On Mic for Smartphone, DSLR, Audio recorders and PC •Powered by one LR44 battery(included) •All metal construction •8m(26ft) cable fits various using conditions •Includes lapel clip, foam windscreen, 1/4"adapter	52
ck131	LCM5 Lav Condenser Mic with 3.5mm Output, Built-in lithium battery, N	LCM5		Omnidirectional condenser microphone •Clip-On Mic for Smartphone, DSLR, Audio recorders and PC •External noise cut switch helps to reduce low-frequency noise •Built-in lithium battery •Low power indicator •8m(26ft) cable fits various using conditions •All metal construction •Includes lapel clip, foam windscreen, 1/4"adapter	60
ck132	LCM2 Lav Condenser Mic with 3.5mm Output , Low Cut Filter (120Hz) , 6	LCM2		Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc •Omnidirectional condenser lavalier microphone •3.5mm TRRS audio output •Smartphone & DSLR output switch •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required	49
ck133	LCM2D Lav Condenser Mic Dual-Head with 3.5mm Output , Low Cut Filte	LCM2D		Dual-Head Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc •Omnidirectional condenser lavalier microphone •3.5mm TRRS audio output •Smartphone & DSLR output switch •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required	55
ck134	LCM2C Lav Condenser Mic with Type-C Output , Low Cut Filter (120Hz) , 6	LCM2C		Lavalier Microphone for USB Type-C Devices •Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	60
ck135	LCM2CD Lav Condenser Mic Dual-Head with Type-C Output , Low Cut Filte	LCM2CD		Dual-Head Lavalier Microphone for USB Type-C Devices •Dual-head Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	67
ck136	LCM2L Lav Condenser Mic with Apple Lightning Output , Low Cut Filter (1	LCM2L		Lavalier Microphone for iOS Lightning Devices •Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	78
ck137	LCM2LD Lav Condenser Mic Dual-Head with Apple Lightning Output , Low	LCM2LD		Dual-Head Lavalier Microphone for iOS Lightning Devices •Dual-head Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	85






ck138	LCM6 Lav Condenser Mic with 3.5mm Output , Low Cut Filter (180Hz) , 2	LCM6		Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc <ul style="list-style-type: none"> • Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 2 meter + 4 meter extension cable length • Includes microphone, Durable foam windscreen, 1/4" adapter and Type-C 	67
ck139	LCM6D Lav Condenser Mic with 3.5mm Output , Low Cut Filter (180Hz) , 2	LCM6D		Dual Head Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc <ul style="list-style-type: none"> • Dual-head Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 3 meter + 3 meter extension cable length • Includes microphone, Durable foam windscreen, 1/4" adapter and Type-C 	75
ck140	LCM6C Lav Condenser Mic with Type-C Output , Low Cut Filter (180Hz) , 2	LCM6C		Lavalier Microphone for USB Type-C Devices <ul style="list-style-type: none"> • Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 2 meter + 4 meter extension cable length • Includes microphone, Durable foam windscreen and Type-C charge cable 	82
ck141	LCM6CD Lav Condenser Mic with Type-C Output , Low Cut Filter (180Hz) , 2	LCM6CD		Dual Head Lavalier Microphone for USB Type-C Devices <ul style="list-style-type: none"> • Dual-head Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 3 meter + 3 meter extension cable length • Includes microphone, Durable foam windscreen, 1/4" adapter and Type-C charge cable 	90
ck142	LCM6L Lav Condenser Mic with Apple Lightning Output , Low Cut Filter (180Hz) , 2	LCM6L		Lavalier Microphone for iOS Lightning Devices <ul style="list-style-type: none"> • Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 4 meter + 2 meter extension cable length • Includes microphone, Durable foam windscreen and Type-C charge cable 	120
Audio Cable					
ck150	AC-UC3 3.5mm TRS(male) to USB Type-C cable	AC-UC3		3.5mm TRS(male) to USB Type-C cable <ul style="list-style-type: none"> • Cable length: 12cm 	48
ck151	AC-LM3 3.5mm TRS(male) to Lightning cable	AC-LM3		3.5mm TRS(male) to Lightning cable <ul style="list-style-type: none"> • Cable length: 12cm 	57
ck152	AC-A35 3.5mm TRS to USB Type-A audio cable	AC-A35		3.5mm TRS to USB Type-A audio cable <ul style="list-style-type: none"> • For all microphones with 3.5mm TRS output jack • Audio cable for input sound to PC and Mac • Cable length: 1.2m 	52
ck153	AC-TRX Female 3-pin XLR to 3.5mm TRRS Male cable	AC-TRX		Female 3-pin XLR to 3.5mm TRRS Male cable <ul style="list-style-type: none"> • 3.5mm output to both smartphone and camera • Cable length: 6m 	48
ck154	AC-UCX Female 3-pin XLR to USB Type-C cable	AC-UCX		Female 3-pin XLR to USB Type-C cable <ul style="list-style-type: none"> • Type-C output for Smartphone & PC devices • Cable length: 6m 	60
ck155	AC-TLX Locking 3.5mm TRS Male to 3-pin XLR Male cable	AC-TLX		Locking 3.5mm TRS Male to 3-pin XLR Male cable <ul style="list-style-type: none"> • Cable length 48cm 	49
ck156	AC-TLX2 Locking 3.5mm TRS Male to Dual 3-pin XLR Male Stereo Output cable	AC-TLX2		Locking 3.5mm TRS Male to Dual 3-pin XLR Male Stereo Output cable <ul style="list-style-type: none"> • Cable length 48cm 	55
ck157	AC-TLS Locking 3.5mm TRS Male to 3.5mm TRS Male cable	AC-TLS		Locking 3.5mm TRS Male to 3.5mm TRS Male cable <ul style="list-style-type: none"> • Work for DSLR & Audio mixer • Cable length 12cm 	45
ck158	AC-TRS 3.5mm TRS Male to 3.5mm TRRS Male	AC-TRS		3.5mm TRS Male to 3.5mm TRRS Male <ul style="list-style-type: none"> • Output to smartphone devices • Cable length 12cm 	43
ck159	AC-TR2 3.5mm TRRS Male to 3.5mm TRRS Male	AC-TR2		3.5mm TRRS Male to 3.5mm TRRS Male <ul style="list-style-type: none"> • Output to smartphone devices & Line input • Cable length 12cm 	43
ck160	AC-TTS 3.5mm TRS Male to 3.5mm TRS Male cable	AC-TTS		3.5mm TRS Male to 3.5mm TRS Male cable <ul style="list-style-type: none"> • Work for DSLR & Audio mixer • Cable length 12cm 	42
ck161	AC-LF3 3.5mm TRRS Female to Lightning	AC-LF3		3.5mm TRRS Female to Lightning <ul style="list-style-type: none"> • Work for iPhone Lightning Connector • Cable length 6cm 	55
ck162	AC-TFS 3.5mm TRS Female to 3.5mm TRRS Male	AC-TFS		3.5mm TRS Female to 3.5mm TRRS Male <ul style="list-style-type: none"> • Work for iPhone & Android Smartphones • Cable length 12cm 	43
ck163	AC-XLR 3-pin XLR Female to 3-pin XLR Male cable	AC-XLR		3-pin XLR Female to 3-pin XLR Male cable <ul style="list-style-type: none"> • Cable length 6m 	52
ck164	AC-XL6 6.35mm to 3-pin XLR Female cable	AC-XL6		6.35mm to 3-pin XLR Female cable <ul style="list-style-type: none"> • Cable length 6m 	52
Foam & Furry Windscreen					
ck170	FW-1 Lav Mic Windscreen for Outdoor Interview	FW-1		Lavalier Microphone Furry Windscreen for Outdoor Interview <ul style="list-style-type: none"> • 3 Packs lavalier microphone furry windscreen made of artificial fur • Fits most lavalier with foam cover, that around 1cm in diameter • Deadcat lavalier windscreen to reduce noise and ambience • Easy to Use, soft and comfortable 	45

ck171	FW-2 Shotgun Mic Furry Windscreen for Outdoor Interview	FW-2		Shotgun Microphone Furry Windscreen for Outdoor Interview <ul style="list-style-type: none"> • Professional furry windscreen fits DCM1, DCM1 PRO, DCM2 and other other shotgun mics from Rode, Sennheiser, Audio-Technica, Sony, Azden, Shure, DPA, Deity, Schoeps & more • Multi-layered wind Protection reduces wind noise, block out plosives, cut down background noise for outdoor shots • Lightweight and portable for easier to carry when recording in adverse environmental conditions 	52
ck172	FW-3 On-Camera Mic Foam & Furry Windscreen In One	FW-3		On-Camera Microphone Foam & Furry Windscreen In One <ul style="list-style-type: none"> • Fits VCM1 series & VCM3 series & VCM5 and other On-Camera Microphone • Reduce noise and ambience • Easy to use, soft and comfortabl 	44
ck173	FW-6 Vocal X Wireless Mic Furry Windscreen	FW-6		Vocal X Wireless Mic Furry Windscreen <ul style="list-style-type: none"> • Fits Vocal X Transmitter Built-in Mic • Durable clamp with soft furry windscreen • Reduce noise and ambience • Easy to use, soft and comfortabl • Colour: Black Clamp 	44
ck174	FW-6W Vocal X White Wireless Mic Furry Windscreen	FW-6W		Vocal X Wireless Mic Furry Windscreen <ul style="list-style-type: none"> • Fits Vocal X Transmitter Built-in Mic • Durable clamp with soft furry windscreen • Reduce noise and ambience • Easy to use, soft and comfortabl • Colour: White Clamp 	44
ck175	FW-4 Foam Windscreen for Lav Mic	FW-4		Foam Windscreen for Lavalier Microphone <ul style="list-style-type: none"> • Fits most Lavalier Microphone • 3pcs one package 	40
ck176	FW-5 Foam Windscreen for LCM, LUM, and 10.5mm Lav Mic	FW-5		Foam Windscreen for Lavalier Microphone <ul style="list-style-type: none"> • Durable high-density soft foam windscreen • Fits most LCM2 & LCM6 & LUM Series Mic and diameter 10.5mm Lavalier Microphone • 3pcs one package • Colour: Black 	42
ck177	FW-7 Foam Windscreen for Vocal X/M, and 6mm Lav Mic	FW-7		Foam Windscreen for Lavalier Microphone <ul style="list-style-type: none"> • Durable high-density soft foam windscreen • For Vocal X, M series & diameter 6mm Lavalier Microphone • 3pcs one package • Colour: Black 	42
ck178	FW-7W Foam Windscreen White for Vocal X/M, and 6mm Lav Mic	FW-7W		Foam Windscreen for Lavalier Microphone <ul style="list-style-type: none"> • Durable high-density soft foam windscreen • For Vocal X, M series & diameter 6mm Lavalier Microphone • 3pcs one package • Colour: White 	42
Accessories					
ck180	FL20 Universal Flash LED Light	FL20		Universal Flash LED Light Charging time: 1.5 hours Type: Battery Capacity: 200mAh LED Light Band: 9 Dimension: 110*40*25mm 65*40*38mm (folded) Includes: Led light and charging cable	43
ck181	AC-MC Mic Clip of Lav Mic	AC-MC		Mic Clip of Lavalier Microphone <ul style="list-style-type: none"> • Metal tie clip is made of premium materials, with high elasticity and easy to be clipped on any collar • Fits all most lavalier lapel microphone • 3pcs one package • Colour: Black 	41
ck182	AC-MCW Mic Clip of Lav Mic White	AC-MCW		Mic Clip of Lavalier Microphone <ul style="list-style-type: none"> • Metal tie clip is made of premium materials, with high elasticity and easy to be clipped on any collar • Fits all most lavalier lapel microphone • 3pcs one package • Colour: White 	41
ck183	AC-HC1 Waterproof Hard Suitcase for Vocal M V1/V2	AC-HC1		Waterproof Hard Suitcase <ul style="list-style-type: none"> • Water- and dust-proof gasket seal • Foam set included • Lightweight and hard construction design • Suitable for Vocal M V1, Vocal M V2 	67
ck184	AC-HC2 Waterproof Hard Suitcase for Vocal M V3/V4	AC-HC2		Waterproof Hard Suitcase <ul style="list-style-type: none"> • Water- and dust-proof gasket seal • Foam set included • Lightweight and hard construction design • Suitable for Vocal M V3, Vocal M V4 	67
ck185	AC-A1 Antenna for Vocal M System	AC-A1		Antenna for Vocal M System <ul style="list-style-type: none"> • Detachable and 360° switchable antenna • Compatible with Vocal M transmitter & receiver 	52
ck186	AC-SM1 Shoe Mount Adapter	AC-SM1		Shoe Mount Adapter <ul style="list-style-type: none"> • Durable ABS construction • Vocal M Receiver • For 	44
ck187	AC-BC1 Belt Clip	AC-BC1		Belt Clip <ul style="list-style-type: none"> • Durable metal construction • Vocal M transmitter & receiver package • For • 3pcs one 	44











Wireless Intercom

PRODUCT CODE	PRODUCT NAME	SKU	PHOTO	HIGHLIGHTS	MSRP (EUR)
1.9Ghz Full-Duplex Wireless Intercom with Single-Ear Headset					
ck300	Wicom E S3 3 Single-Ear Headsets Intercom System	Wicom E S3		Full-Duplex Wireless DECT Intercom System with 3 Single-Ear Headsets <ul style="list-style-type: none"> • One master headset & two remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting 	589
ck301	Wicom E S5 5 Single-Ear Headsets Intercom System	Wicom E S5		Full-Duplex Wireless DECT Intercom System with 5 Single-Ear Headsets <ul style="list-style-type: none"> • One master headset & four remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting 	899
ck302	Wicom E S7 7 Single-Ear Headsets Intercom System	Wicom E S7		Full-Duplex Wireless DECT Intercom System with 7 Single-Ear Headsets <ul style="list-style-type: none"> • One master headset & six remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting 	1199
ck303	Wicom E S9 9 Single-Ear Headsets Intercom System	Wicom E S9		Full-Duplex Wireless DECT Intercom System with 9 Single-Ear Headsets <ul style="list-style-type: none"> • One master headset & eight remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting 	1459
ck304	Wicom E SM Single-Ear Master Headset for Intercom System	Wicom E SM		Full-Duplex Wireless DECT Intercom System with Single-Ear Headset <ul style="list-style-type: none"> • One master Headset 	249
ck305	Wicom E SR Single-Ear Remote Headset for Intercom System	Wicom E SR		Full-Duplex Wireless DECT Intercom System with Single-Ear Headset <ul style="list-style-type: none"> • One remote Headset 	179
1.9Ghz Full-Duplex Wireless Intercom with Dual-Ear Headsets					
ck310	Wicom E D3 3 Dual-Ear Headsets Intercom System	Wicom E D3		Full-Duplex Wireless DECT Intercom System with 3 Dual-Ear Headsets <ul style="list-style-type: none"> • One master headset & two remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting 	619
ck311	Wicom E D5 5 Dual-Ear Headsets Intercom System	Wicom E D5		Full-Duplex Wireless DECT Intercom System with 5 Dual-Ear Headsets <ul style="list-style-type: none"> • One master headset & four remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting 	999

ck312	Wicom E D7 7 Dual-Ear Headsets Intercom System	Wicom E D7		Full-Duplex Wireless DECT Intercom System with 7 Dual-Ear Headsets <ul style="list-style-type: none"> • One master headset & six remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B 	1299
ck313	Wicom E D9 9 Dual-Ear Headsets Intercom System	Wicom E D9		Full-Duplex Wireless DECT Intercom System with 9 Dual-Ear Headsets <ul style="list-style-type: none"> • One master headset & eight remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B 	1599
ck314	Wicom E DM Dual-Ear Master Headset for Intercom System	Wicom E DM		Full-Duplex Wireless DECT Intercom System with Dual-Ear Headset <ul style="list-style-type: none"> • One master Headset 	279
ck315	Wicom E DR Dual-Ear Remote Headset for Intercom System	Wicom E DR		Full-Duplex Wireless DECT Intercom System with Dual-Ear Headset <ul style="list-style-type: none"> • One remote Headset 	199
1.9Ghz Full-Duplex Wireless Intercom with Dual-Ear & Single-Ear Headset Mixing Combo					
ck320	Wicom E SM5 One Single-Ear Master + Two Single-Ear + Two Dual-Ear Remote Headsets	Wicom E SM5		Full-Duplex Wireless Intercom System with One Single-Ear Master headset + Two Single-Ear Remote Headsets + Two Dual-Ear Remote headsets <ul style="list-style-type: none"> • One master headset & two remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function 	939
ck321	Wicom E SM9 One Single-Ear Master + Four Single-Ear + Four Dual-Ear Remote Headsets	Wicom E SM9		Full-Duplex Wireless Intercom System with One Single-Ear Master headset + Four Single-Ear Remote Headsets + Four Dual-Ear Remote headsets <ul style="list-style-type: none"> • One master headset & four remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function 	1539
ck322	Wicom E DM5 One Dual-Ear Master + Two Single-Ear + Two Dual-Ear Remote Headsets	Wicom E DM5		Full-Duplex Wireless Intercom System with One dual-Ear Master headset + Two Single-Ear Remote Headsets + Two Dual-Ear Remote headsets <ul style="list-style-type: none"> • One master headset & six remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function 	959
ck323	Wicom E DM9 One Dual-Ear Master + Four Single-Ear + Four Dual-Ear Remote Headsets	Wicom E DM9		Full-Duplex Wireless Intercom System with One dual-Ear Master headset + Four Single-Ear Remote Headsets + Four Dual-Ear Remote headsets <ul style="list-style-type: none"> • One master headset & eight remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function 	1559
Accessories					
ck330	BL-5C Battery for Wireless Intercom	BL-5C		Battery for Wireless Intercom <ul style="list-style-type: none"> • 1pc 1000mAh battery packed 	15
ck331	AC-BC9 Battery Charger for Wireless Intercom	AC-BC9		Battery Charger for Wireless Intercom <ul style="list-style-type: none"> • Charge up to 9 batteries simultaneously • 12V DC adapter included 	79
ck332	AC-T3S 3.5mm TRRS to TRRS for two master headsets link to more remote headsets	AC-T3S		3.5mm TRRS to TRRS for two master headsets link to more remote headsets <ul style="list-style-type: none"> • One 2m straight cable 	20

	ck333	AC-T3C 3.5mm TRRS to TRRS for Master headset computer cloud meeting	AC-T3C		3.5mm TRRS to TRRS for Master headset computer cloud meeting • One 2m straight cable	20
	ck334	FW-8 Wicom E Mic Foam Windscreen	FW-8		Wicom E Microphone Foam Windscreen • 3pcs foam windscreen packed	8
	ck335	FW-9 Wicom E Earmuffs	FW-9		Wicom E Earmuffs • 2pcs earmuff packed	12
	ck336	AC-HC3 Wicom E Suitcase-Small	AC-HC3		Wicom E product Carry Suitcase-Small size • Suitable for Wicom E S3, S5, D3, D5	69
	ck337	AC-HC4 Wicom E Suitcase-Big	AC-HC4		Wicom E product Carry Suitcase-Big size • Suitable for Wicom E S7, S9, D5, D9	109

Headphone and TWS Earphone

PRODUCT CODE		PRODUCT NAME	SKU	PHOTO		HIGHLIGHTS	MSRP (EUR)
Professional Headphone							
ck400	ME-S10 Monitor Headphone		ME-S10			Professional Field and Studio Monitor Headphone <ul style="list-style-type: none">•Ideal for use in commercial recording, broadcast, home studio, and live and location sound•Closed-back design to help block unwanted environmental noise•50mm large aperture dynamic drivers for high quality sound reproduction•90° swiveling earcups for easy, one-ear monitoring•Professional-grade protein earmuffs deliver more durability and comfort•Collapsible for space-saving portability•Detachable twist-locking output cable design conveniently enables cable swapping•Includes detachable 1.5m coiled & 3m straight cables,	109
TWS Earbuds							
ck410	MO2-B TWS Earphone Black		MO2-B			TWS Earphone <ul style="list-style-type: none">•Version: V5.0 more•Transmission distance: ≥10m•Support agreement: A2DP/AVCTP/AVDTP/AVRCP/HFP•Earphone charging time: 1 hour•Battery box Charging time: 1.5 hours•Earbuds battery capacity: 40mAh•Music time: 3 hours•Talk time: 2.5 hours•Charging interface: Type-C	60
ck411	MO2-W TWS Earphone White		MO2-W				60
ck412	MO7-B ENC TWS Earphone Black		MO7-B			ENC TWS Earphone (Noise Reduction for Talk & Play) <ul style="list-style-type: none">•Version: V5.1+EDR•Color: Black, White•Talk time: 4hours•Play time: 4 hours•Transmission distance: ≥10m	77
ck413	MO7-W ENC TWS Earphone White		MO7-W			<ul style="list-style-type: none">•Earphone charging time: 1 hour•Battery box Charging time: 2 hours•Earphone battery capacity: 40mAH•Battery box battery capacity: 300mAH•Includes: Earphone, Battery box and charging cable and flexible silicone tips	77